81010101

PRO+ W30-8101
Schwarz

Arbeitsdrehstuhl, W30-TG-PU-010101



Arbeitsdrehstuhl, W30-TG-PU-010101

Item no.: 81010101
EAN no.: 4262367690485

Categories: Chairs, Industry, PRO+, Sections, Work chairs

Matchcode	W30-TG-PU-010101, W30-TG-PU-010201, W30-TG-PU-010301, W30-TG-PU-010401, W30-TG-PU-010501, W30-TG-PU-010601
EAN	4262367690485, 4262367690362, 4262367690492, 4262367690263, 4262367690508, 4262367690089
Capacity	120 kg
Capacity	120 kg
Seat dimensions	485 x 455 mm (W x D)

Seat dimensions	485 x 455 mm (W x D)
Seating color	black
Seating color	black
Piping color	Black (RAL 9005), Blue (RAL 5025), Yellow (RAL 1016), Green (RAL 6017), Orange (RAL 2008), Red (RAL 3020), Black (RAL 9005)
Piping color	blue, green, orange-en, red, yellow
Seating material	Polyurethane foam
Seating material	Polyurethane foam
Seat height	Low
Seat height	Low
Seat height adjustment	Gas spring
Seat height adjustment	Gas spring
Seat height adjustment by	Lever release
Seat height adjustment by	Lever release
Seat height adjustment range	445 – 585 mm
Seat height adjustment range	445 – 585 mm

Adjustment range addition	Blau, Gelb, Grün, Orange, Rot, Schwarz
Adjustment range addition	Blau, Gelb, Grün, Orange, Rot
Seat functions	Rotatable, Adjustable in height, Adjustable in angle
Seat functions	Adjustable in angle, Adjustable in height, Rotatable
Seat slope	-9° bis +5°
Seat slope	-9° bis +5°
Back measurements	420 x 310 mm (W x H)
Back measurements	420 x 310 mm (W x H)
Back height adjustment range	130 mm
Back height adjustment range	130 mm
Back color	black
Back color	black
Back material	Polyurethane foam
Back material	Polyurethane foam
Back functions	Adjustable in height, Adjustable in angle, Pendular mounted

Back functions	Adjustable in angle, Adjustable in height, Pendular mounted
Back slope	25
Back slope	25
Base	Steel, 540 mm (Diameter)
Base	Steel, 540 mm (Diameter)
Foot	Gliders
Foot	Gliders
Weight	15,0 kg
Weight	15,0 kg
Total weight	17,5 kg
Total weight	17,5 kg
Certificate	This product is compliant according to the REACH regulation of the European Union
Certificate	This product is compliant according to the REACH regulation of the European Union
Note	All dimensions are approximate
Note	All dimensions are approximate