

70016

---

## **Workster Basic WF-70016**

---

Arbeitsdrehstuhl , elektrisch leitfähig, WF-H-PU-FS7-ALU ESD; PU-Schaum schwarz

---

Arbeitsdrehstuhl , elektrisch leitfähig, WF-H-PU-FS7-ALU ESD; PU-Schaum schwarz

Item no.: 70016

EAN no.:

**Categories:** [Chairs](#), [Electrostatic discharge](#), [Industry](#), [Sections](#), [WF swivel work chair](#), [Work chairs](#), [Workster Basic](#)

---

<b>Matchcode</b>	WF-H-PU-FS7-ALU ESD; PU-Schaum schwarz
<b>Capacity</b>	120 kg
<b>Seat dimensions</b>	450 x 440 mm (W x D)
<b>Seating color</b>	black
<b>Seating material</b>	Polyurethane foam
<b>Seat height</b>	High



<b>Seat height adjustment</b>	Gas spring
<b>Seat height adjustment by</b>	Lever release
<b>Seat height adjustment range</b>	580 – 830 mm
<b>Seat functions</b>	Adjustable in angle, Adjustable in height, Rotatable
<b>Back measurements</b>	400 x 380 mm (W x H)
<b>Back color</b>	black
<b>Back material</b>	Polyurethane foam
<b>Back functions</b>	Adjustable in angle, Adjustable in height
<b>Ascent aid</b>	Overhang: 260 mm, Width: 500 mm, non-rotatable, Adjustable in height
<b>Base</b>	Aluminum, 650 mm (Diameter)
<b>Foot</b>	Gliders
<b>Weight</b>	12,0 kg
<b>Total weight</b>	16,0 kg
<b>Certificate</b>	This product is compliant according to the REACH regulation of the European Union

**Fire safety**

Our PU seat sets are tested and classified in the classification P-b, according to DIN 66084

**Note**

All dimensions are approximate