

01082

---

## Workster Pro W15-01082

---

Chair, heavy-duty, with climbing aid,  
W15-25-H-PU-AH2; PU black

---

Chair, heavy-duty, with climbing aid, W15-25-H-PU-AH2; PU  
black

Item no.: 01082

EAN no.: 4260046928690

**Categories:** [Chairs](#), [Industry](#), [Sections](#), [W15 swivel work chair](#), [Work chairs](#), [Work chairs XXL](#), [Workster Pro](#), [XXL](#)

---



|                         |                           |
|-------------------------|---------------------------|
| <b>Matchcode</b>        | W15-25-H-PU-AH2; PU black |
| <b>EAN</b>              | 4260046928690             |
| <b>Capacity</b>         | 250 kg                    |
| <b>Seat dimensions</b>  | 470 x 470 mm (W x D)      |
| <b>Seating color</b>    | black                     |
| <b>Seating material</b> | Polyurethane foam         |
| <b>Seat height</b>      | High                      |

|                                     |                                                                                                       |
|-------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Seat height adjustment</b>       | Gas spring                                                                                            |
| <b>Seat height adjustment by</b>    | Lever release                                                                                         |
| <b>Seat height adjustment range</b> | 610 – 860 mm                                                                                          |
| <b>Seat functions</b>               | Adjustable in angle, Adjustable in height, Rotatable                                                  |
| <b>Seat slope</b>                   | +5° bis -4°                                                                                           |
| <b>Back measurements</b>            | 420 x 400 mm (W x H)                                                                                  |
| <b>Back color</b>                   | black                                                                                                 |
| <b>Back material</b>                | Polyurethane foam                                                                                     |
| <b>Back functions</b>               | Adjustable in angle, Adjustable in height, Antishock, Pendular mounted                                |
| <b>Back slope</b>                   | +19° bis -12°                                                                                         |
| <b>Footring</b>                     | Diameter 260 mm, Adjustable in height                                                                 |
| <b>Ascent aid</b>                   | Steel, Overhang: 290 mm, Width: 390 mm, foldable/non-rotatable/pedals rotatable, Adjustable in height |
| <b>Base</b>                         | Steel, 720 mm (Diameter)                                                                              |
| <b>Foot</b>                         | Gliders                                                                                               |
| <b>Weight</b>                       | 23,5 kg                                                                                               |
| <b>Total weight</b>                 | 26,6 kg                                                                                               |

|                    |                                                                                                   |
|--------------------|---------------------------------------------------------------------------------------------------|
| <b>Certificate</b> | GS-certificate, This product is compliant according to the REACH regulation of the European Union |
| <b>Fire safety</b> | Our PU seat sets are tested and classified in the classification P-b, according to DIN 66084      |
| <b>Note</b>        | All dimensions are approximate                                                                    |